

**NATIONAL SURVEY ON DRUG USE AND HEALTH**  
**U.S. AGES 18-25, 2003-2013**

**Estimated Past-Month Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
<b>Alcohol</b>	59.6	60.2	60.7	61.4	61.8	61.1	61.3	62.0	60.9	60.5	61.4
Binge Alcohol Use *	37.9	39.5	39.8	40.5	41.8	41.2	41.9	42.3	41.9	41.2	41.6
Heavy Alcohol Use **	11.3	12.7	12.1	13.5	13.8	14.6	14.8	15.6	15.3	15.1	15.1
<b>Any Tobacco</b>	37.0	38.1	39.5	40.9	41.6	41.4	41.9	44.0	44.3	44.6	44.8
Cigarettes	30.6	31.8	33.5	34.3	35.8	35.7	36.2	38.5	39.0	39.5	40.2
Smokeless Tobacco	5.8	5.5	5.4	6.4	6.1	5.3	5.2	5.2	5.1	4.9	4.7
<b>Any Illicit Drug</b>	21.5	21.3	21.4	21.6	21.4	19.7	19.8	19.8	20.1	19.4	20.3
Marijuana	19.1	18.7	19.0	18.5	18.2	16.6	16.5	16.3	16.6	16.1	17.0
Inhalant	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.4
Hallucinogen	1.8	1.7	1.6	2.0	1.8	1.7	1.5	1.7	1.5	1.5	1.7
LSD	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2
PCP	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
Ecstasy	0.9	1.0	0.9	1.2	1.1	0.9	0.7	1.0	0.8	0.7	0.7
Cocaine (any form)	1.1	1.1	1.4	1.5	1.4	1.6	1.7	2.2	2.6	2.1	2.2
Crack Cocaine	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.2
Heroin	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.1	0.1
<b>Psychotherapeutics (Rx-type, non-medical use)</b>	4.8	5.3	5.0	5.9	6.4	5.9	5.9	6.5	6.3	6.1	6.1
Pain Reliever	3.3	3.8	3.6	4.4	4.8	4.5	4.6	5.0	4.7	4.7	4.7
OxyContin®	0.3	0.4	0.5	0.7	0.5	0.4	0.5	0.4	0.4	0.4	0.4
Stimulant	1.3	1.2	1.0	1.2	1.3	1.1	1.1	1.4	1.4	1.5	1.3
Methamphetamine	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.7	0.7	0.6
Sedative	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Tranquilizer	1.2	1.6	1.6	1.7	1.9	1.7	1.7	2.0	1.9	1.8	1.7

**Estimated Lifetime Substance Use (%)**

	2013	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003
<b>Alcohol</b>	83.8	84.4	84.3	85.7	85.8	85.6	85.2	86.5	85.7	86.2	87.1
<b>Any Tobacco</b>	65.1	66.3	67.9	68.6	69.6	70.2	70.3	71.8	72.3	73.5	74.8
Cigarettes	57.9	59.5	61.0	62.1	63.7	64.2	64.7	66.6	67.3	68.7	70.2
Smokeless Tobacco	20.3	19.9	20.4	20.9	21.0	20.3	20.1	20.2	20.8	21.4	22.0
<b>Any Illicit Drug</b>	57.0	57.8	56.9	57.3	58.5	57.0	57.5	59.0	59.2	59.2	60.5
Marijuana	51.9	52.2	51.9	51.4	52.6	50.8	50.9	52.5	52.4	52.8	53.9
Inhalant	7.5	8.4	9.1	10.0	10.8	10.5	11.3	12.5	13.3	14.0	14.9
Hallucinogen	17.6	17.6	17.6	18.5	19.1	17.8	19.2	20.2	21.0	21.3	23.3
LSD	6.5	5.9	6.0	6.4	6.9	6.6	7.3	8.9	10.5	12.1	14.0
PCP	0.9	1.0	1.0	1.3	1.4	1.6	1.6	1.9	2.2	2.3	3.0
Ecstasy	12.8	12.9	12.3	12.4	12.5	12.2	12.8	13.4	13.7	13.8	14.8
Cocaine (any form)	11.6	12.3	12.4	13.4	14.9	14.5	15.0	15.7	15.1	15.2	15.0
Crack Cocaine	1.6	1.9	2.1	2.6	2.9	2.8	3.0	3.6	3.5	3.5	3.8
Heroin	1.8	1.9	1.7	1.8	1.7	1.4	1.5	1.6	1.5	1.6	1.6
<b>Psychotherapeutics (Rx-type, non-medical use)</b>	26.6	28.1	27.3	28.9	29.5	29.4	30.0	30.7	30.8	29.7	29.5
Pain Reliever	20.8	22.4	22.2	23.9	24.5	24.6	24.9	25.5	25.5	24.3	23.7
OxyContin®	5.4	5.8	6.1	6.2	6.2	5.3	5.2	5.1	5.0	4.3	3.6
Stimulant	9.4	9.8	9.2	10.4	10.7	10.6	10.9	12.0	12.3	12.1	12.2
Methamphetamine	3.0	3.1	3.4	4.0	4.5	4.7	5.6	6.4	6.7	7.0	6.9
Sedative	1.3	1.2	1.4	1.4	1.6	1.6	1.8	1.9	2.0	1.9	1.8
Tranquilizer	12.0	12.8	12.3	13.1	12.8	12.2	12.7	13.1	13.4	12.2	12.3
Needle/Injection Drug Use	1.4	1.3	1.2	1.1	1.3	0.9	1.3	1.2	1.4	1.3	1.3

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.

Data Source:

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.  
<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>